

October 20, 2016

David Crisafulli
Oswego CSD
225 West Utica St
Oswego, NY 12126

RE: Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

Dear David Crisafulli:

Enclosed are the analytical results for sample(s) received by the laboratory on October 12, 2016. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

Samples, in the electronic data deliverable (EDD) that accompanied this report, were flagged yellow if they exceeded the NYSDOH 15 ppb action level.

The space designated for the sampler on the chain of custody (COC) indicates if these samples were collected by Pace Analytical or were collected by the school district and just relinquished to Pace Analytical.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Amanda Albrecht
amanda.albrecht@pacelabs.com
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Minnesota Certification IDs

1700 Elm Street SE Suite 200, Minneapolis, MN 55414

Alaska Certification UST-107

525 N 8th Street, Salina, KS 67401

A2LA Certification #: 2926.01

Alaska Certification #: UST-078

Alaska Certification #MN00064

Alabama Certification #40770

Arizona Certification #: AZ-0014

Arkansas Certification #: 88-0680

California Certification #: 01155CA

Colorado Certification #Pace

Connecticut Certification #: PH-0256

EPA Region 8 Certification #: 8TMS-L

Florida/NELAP Certification #: E87605

Guam Certification #:14-008r

Georgia Certification #: 959

Georgia EPD #: Pace

Idaho Certification #: MN00064

Hawaii Certification #MN00064

Illinois Certification #: 200011

Indiana Certification#C-MN-01

Iowa Certification #: 368

Kansas Certification #: E-10167

Kentucky Dept of Envi. Protection - DW #90062

Kentucky Dept of Envi. Protection - WW #:90062

Louisiana DEQ Certification #: 3086

Louisiana DHH #: LA140001

Maine Certification #: 2013011

Maryland Certification #: 322

Michigan DEPH Certification #: 9909

Minnesota Certification #: 027-053-137

Mississippi Certification #: Pace

Montana Certification #: MT0092

Nevada Certification #: MN_00064

Nebraska Certification #: Pace

New Jersey Certification #: MN-002

New York Certification #: 11647

North Carolina Certification #: 530

North Carolina State Public Health #: 27700

North Dakota Certification #: R-036

Ohio EPA #: 4150

Ohio VAP Certification #: CL101

Oklahoma Certification #: 9507

Oregon Certification #: MN200001

Oregon Certification #: MN300001

Pennsylvania Certification #: 68-00563

Puerto Rico Certification

Saipan (CNMI) #:MP0003

South Carolina #:74003001

Texas Certification #: T104704192

Tennessee Certification #: 02818

Utah Certification #: MN000642013-4

Virginia DGS Certification #: 251

Virginia/VELAP Certification #: Pace

Washington Certification #: C486

West Virginia Certification #: 382

West Virginia DHHR #:9952C

Wisconsin Certification #: 999407970

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365818001	ROOM 129-SINK	Water	09/30/16 04:17	10/12/16 10:00
10365818002	ROOM 132-KITCHEN SINK	Water	09/30/16 04:17	10/12/16 10:00
10365818003	ROOM 133-KITCHEN HAND WASH SIN	Water	09/30/16 04:18	10/12/16 10:00
10365818004	ROOM 125-SINK	Water	09/30/16 04:20	10/12/16 10:00
10365818005	ROOM 138-SINK	Water	09/30/16 04:21	10/12/16 10:00
10365818006	ROOM 140-SINK	Water	09/30/16 04:23	10/12/16 10:00
10365818007	ROOM 142-SINK	Water	09/30/16 04:26	10/12/16 10:00
10365818008	ROOM 144-SINK	Water	09/30/16 04:27	10/12/16 10:00
10365818009	ROOM 146-SLOP SINK	Water	09/30/16 04:29	10/12/16 10:00
10365818010	ROOM 148-SINK	Water	09/30/16 04:30	10/12/16 10:00
10365818011	ROOM 149-SINK	Water	09/30/16 04:31	10/12/16 10:00
10365818012	ROOM 147-SINK	Water	09/30/16 04:30	10/12/16 10:00
10365818013	ROOM 145-SINK	Water	09/30/16 04:28	10/12/16 10:00
10365818014	ROOM 143-SINK	Water	09/30/16 04:27	10/12/16 10:00
10365818015	ROOM 141-SINK	Water	09/30/16 04:26	10/12/16 10:00
10365818016	ROOM 139-SINK	Water	09/30/16 04:24	10/12/16 10:00
10365818017	ROOM 109-EAST SINK	Water	09/30/16 04:34	10/12/16 10:00
10365818018	ROOM 109-WEST SINK	Water	09/30/16 04:34	10/12/16 10:00
10365818019	ROOM 105 EAST SINK	Water	09/30/16 04:35	10/12/16 10:00
10365818020	ROOM 105-WEST SINK	Water	09/30/16 04:35	10/12/16 10:00
10365818021	ROOM 104E-OUTSIDE BATHROOM SIN	Water	09/30/16 04:37	10/12/16 10:00
10365818022	ROOM 104D-OUTSIDE BATHROOM SIN	Water	09/30/16 04:39	10/12/16 10:00
10365818023	ROOM 104B-SINK	Water	09/30/16 04:40	10/12/16 10:00
10365818024	ROOM 114-GIRLS LOCKER ROOM-NOR	Water	09/30/16 04:43	10/12/16 10:00
10365818025	ROOM 114-BOYS LOCKER ROOM-EAST	Water	09/30/16 04:45	10/12/16 10:00
10365818026	ROOM 114-BOYS LOCKER ROOM-WEST	Water	09/30/16 04:45	10/12/16 10:00
10365818027	ROOM 115-SLOP SINK	Water	09/30/16 04:46	10/12/16 10:00
10365818028	ROOM 113-SINK	Water	09/30/16 04:47	10/12/16 10:00
10365818029	ROOM 113A-SINK	Water	09/30/16 04:47	10/12/16 10:00
10365818030	ROOM 111-WEST SINK	Water	09/30/16 04:49	10/12/16 10:00
10365818031	ROOM 120A-SINK	Water	09/30/16 04:50	10/12/16 10:00
10365818032	ROOM 120A-NURSE BACK ROOM SINK	Water	09/30/16 04:51	10/12/16 10:00
10365818033	ROOM 120-NURSES BATHROOM SINK	Water	09/30/16 04:51	10/12/16 10:00
10365818034	ROOM 155-SINK	Water	09/30/16 04:54	10/12/16 10:00
10365818035	ROOM 157-SINK	Water	09/30/16 04:58	10/12/16 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365818036	ROOM 163-SINK	Water	09/30/16 05:11	10/12/16 10:00
10365818037	ROOM 165-SINK	Water	09/30/16 05:12	10/12/16 10:00
10365818038	ROOM 167-SINK	Water	09/30/16 05:15	10/12/16 10:00
10365818039	ROOM 169-NORTH SIDE BATHROOM S	Water	09/30/16 05:16	10/12/16 10:00
10365818040	ROOM 169-SOUTH SIDE BATHROOM S	Water	09/30/16 05:15	10/12/16 10:00
10365818041	ROOM 175A-SINK	Water	09/30/16 05:18	10/12/16 10:00
10365818042	ROOM 181-SINK	Water	09/30/16 05:17	10/12/16 10:00
10365818043	ROOM 183-SINK	Water	09/30/16 05:25	10/12/16 10:00
10365818044	ROOM 185-SINK	Water	09/30/16 05:30	10/12/16 10:00
10365818045	ROOM 187-SINK	Water	09/30/16 05:35	10/12/16 10:00
10365818046	ROOM 189-SINK	Water	09/30/16 05:34	10/12/16 10:00
10365818047	ROOM 189-FAUCET	Water	09/30/16 05:34	10/12/16 10:00
10365818048	ROOM 191-SINK	Water	09/30/16 05:40	10/12/16 10:00
10365818049	ROOM 191-FOUNTAIN	Water	09/30/16 05:40	10/12/16 10:00
10365818050	ROOM 192-SINK	Water	09/30/16 05:43	10/12/16 10:00
10365818051	ROOM 192-FOUNTAIN	Water	09/30/16 05:43	10/12/16 10:00
10365818052	ROOM 190-SINK	Water	09/30/16 05:35	10/12/16 10:00
10365818053	ROOM 190-FOUNTAIN	Water	09/30/16 05:36	10/12/16 10:00
10365818054	ROOM 188-SINK	Water	09/30/16 05:39	10/12/16 10:00
10365818055	ROOM 188-FOUNTAIN	Water	09/30/16 05:35	10/12/16 10:00
10365818056	ROOM 184-SLOP SINK	Water	09/30/16 05:25	10/12/16 10:00
10365818057	HAND SINK OUTSIDE ROOM-184-SOU	Water	09/30/16 05:27	10/12/16 10:00
10365818058	HAND SINK OUTSIDE ROOM-184-NOR	Water	09/30/16 05:27	10/12/16 10:00
10365818059	SINK OUTSIDE 172C-ART ROOM	Water	09/30/16 05:23	10/12/16 10:00
10365818060	SINK OUTSIDE 172D-ART ROOM	Water	09/30/16 05:23	10/12/16 10:00
10365818061	SINK OUTSIDE 172E-WEST SIDE	Water	09/30/16 05:24	10/12/16 10:00
10365818062	SINK OUTSIDE 172E-NORTH SIDE	Water	09/30/16 05:24	10/12/16 10:00
10365818063	ROOM 166-SINK	Water	09/30/16 05:12	10/12/16 10:00
10365818064	ROOM 164-SINK	Water	09/30/16 05:10	10/12/16 10:00
10365818065	ROOM 162-SINK 1	Water	09/30/16 05:11	10/12/16 10:00
10365818066	ROOM 162-SINK 2	Water	09/30/16 05:11	10/12/16 10:00
10365818067	ROOM 162-SINK 3	Water	09/30/16 05:11	10/12/16 10:00
10365818068	ROOM 162-SINK 4	Water	09/30/16 05:07	10/12/16 10:00
10365818069	ROOM 160-SLOP SINK	Water	09/30/16 05:05	10/12/16 10:00
10365818070	ROOM 158-SINK 1	Water	09/30/16 05:00	10/12/16 10:00
10365818071	ROOM 158-SINK 2	Water	09/30/16 05:00	10/12/16 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Lab ID	Sample ID	Matrix	Date Collected	Date Received
10365818072	ROOM 158-SINK 3	Water	09/30/16 05:01	10/12/16 10:00
10365818073	ROOM 158-SINK 4	Water	09/30/16 05:02	10/12/16 10:00
10365818074	ROOM 156-SINK	Water	09/30/16 04:58	10/12/16 10:00
10365818075	ROOM 156A-SINK	Water	09/30/16 04:58	10/12/16 10:00
10365818076	ROOM 156C-SINK	Water	09/30/16 04:56	10/12/16 10:00
10365818077	ROOM 120-NURSE HANDICAP SINK	Water	09/30/16 04:54	10/12/16 10:00
10365818078	ROOM 161-SINK	Water	09/30/16 05:05	10/12/16 10:00
10365818079	ROOM 172A-SINK	Water	09/30/16 05:20	10/12/16 10:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365818001	ROOM 129-SINK	EPA 200.8	AJM	1	PASI-M
10365818002	ROOM 132-KITCHEN SINK	EPA 200.8	AJM	1	PASI-M
10365818003	ROOM 133-KITCHEN HAND WASH SIN	EPA 200.8	AJM	1	PASI-M
10365818004	ROOM 125-SINK	EPA 200.8	AJM	1	PASI-M
10365818005	ROOM 138-SINK	EPA 200.8	AJM	1	PASI-M
10365818006	ROOM 140-SINK	EPA 200.8	AJM	1	PASI-M
10365818007	ROOM 142-SINK	EPA 200.8	AJM	1	PASI-M
10365818008	ROOM 144-SINK	EPA 200.8	AJM	1	PASI-M
10365818009	ROOM 146-SLOP SINK	EPA 200.8	TT3	1	PASI-M
10365818010	ROOM 148-SINK	EPA 200.8	AJM	1	PASI-M
10365818011	ROOM 149-SINK	EPA 200.8	AJM	1	PASI-M
10365818012	ROOM 147-SINK	EPA 200.8	AJM	1	PASI-M
10365818013	ROOM 145-SINK	EPA 200.8	AJM	1	PASI-M
10365818014	ROOM 143-SINK	EPA 200.8	AJM	1	PASI-M
10365818015	ROOM 141-SINK	EPA 200.8	AJM	1	PASI-M
10365818016	ROOM 139-SINK	EPA 200.8	AJM	1	PASI-M
10365818017	ROOM 109-EAST SINK	EPA 200.8	AJM	1	PASI-M
10365818018	ROOM 109-WEST SINK	EPA 200.8	AJM	1	PASI-M
10365818019	ROOM 105 EAST SINK	EPA 200.8	AJM	1	PASI-M
10365818020	ROOM 105-WEST SINK	EPA 200.8	AJM	1	PASI-M
10365818021	ROOM 104E-OUTSIDE BATHROOM SIN	EPA 200.8	AJM	1	PASI-M
10365818022	ROOM 104D-OUTSIDE BATHROOM SIN	EPA 200.8	AJM	1	PASI-M
10365818023	ROOM 104B-SINK	EPA 200.8	AJM	1	PASI-M
10365818024	ROOM 114-GIRLS LOCKER ROOM-NOR	EPA 200.8	AJM	1	PASI-M
10365818025	ROOM 114-BOYS LOCKER ROOM-EAST	EPA 200.8	AJM	1	PASI-M
10365818026	ROOM 114-BOYS LOCKER ROOM-WEST	EPA 200.8	AJM	1	PASI-M
10365818027	ROOM 115-SLOP SINK	EPA 200.8	AJM	1	PASI-M
10365818028	ROOM 113-SINK	EPA 200.8	AJM	1	PASI-M
10365818029	ROOM 113A-SINK	EPA 200.8	AJM	1	PASI-M
10365818030	ROOM 111-WEST SINK	EPA 200.8	AJM	1	PASI-M
10365818031	ROOM 120A-SINK	EPA 200.8	AJM	1	PASI-M
10365818032	ROOM 120A-NURSE BACK ROOM SINK	EPA 200.8	AJM	1	PASI-M
10365818033	ROOM 120-NURSES BATHROOM SINK	EPA 200.8	AJM	1	PASI-M
10365818034	ROOM 155-SINK	EPA 200.8	AJM	1	PASI-M
10365818035	ROOM 157-SINK	EPA 200.8	AJM	1	PASI-M
10365818036	ROOM 163-SINK	EPA 200.8	AJM	1	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365818037	ROOM 165-SINK	EPA 200.8	AJM	1	PASI-M
10365818038	ROOM 167-SINK	EPA 200.8	AJM	1	PASI-M
10365818039	ROOM 169-NORTH SIDE BATHROOM S	EPA 200.8	AJM	1	PASI-M
10365818040	ROOM 169-SOUTH SIDE BATHROOM S	EPA 200.8	AJM	1	PASI-M
10365818041	ROOM 175A-SINK	EPA 200.8	AJM	1	PASI-M
10365818042	ROOM 181-SINK	EPA 200.8	AJM	1	PASI-M
10365818043	ROOM 183-SINK	EPA 200.8	AJM	1	PASI-M
10365818044	ROOM 185-SINK	EPA 200.8	AJM	1	PASI-M
10365818045	ROOM 187-SINK	EPA 200.8	AJM	1	PASI-M
10365818046	ROOM 189-SINK	EPA 200.8	AJM	1	PASI-M
10365818047	ROOM 189-FAUCET	EPA 200.8	AJM	1	PASI-M
10365818048	ROOM 191-SINK	EPA 200.8	AJM	1	PASI-M
10365818049	ROOM 191-FOUNTAIN	EPA 200.8	AJM	1	PASI-M
10365818050	ROOM 192-SINK	EPA 200.8	AJM	1	PASI-M
10365818051	ROOM 192-FOUNTAIN	EPA 200.8	AJM	1	PASI-M
10365818052	ROOM 190-SINK	EPA 200.8	AJM	1	PASI-M
10365818053	ROOM 190-FOUNTAIN	EPA 200.8	AJM	1	PASI-M
10365818054	ROOM 188-SINK	EPA 200.8	AJM	1	PASI-M
10365818055	ROOM 188-FOUNTAIN	EPA 200.8	AJM	1	PASI-M
10365818056	ROOM 184-SLOP SINK	EPA 200.8	AJM	1	PASI-M
10365818057	HAND SINK OUTSIDE ROOM-184-SOU	EPA 200.8	AJM	1	PASI-M
10365818058	HAND SINK OUTSIDE ROOM-184-NOR	EPA 200.8	AJM	1	PASI-M
10365818059	SINK OUTSIDE 172C-ART ROOM	EPA 200.8	AJM	1	PASI-M
10365818060	SINK OUTSIDE 172D-ART ROOM	EPA 200.8	AJM	1	PASI-M
10365818061	SINK OUTSIDE 172E-WEST SIDE	EPA 200.8	TT3	1	PASI-M
10365818062	SINK OUTSIDE 172E-NORTH SIDE	EPA 200.8	TT3	1	PASI-M
10365818063	ROOM 166-SINK	EPA 200.8	TT3	1	PASI-M
10365818064	ROOM 164-SINK	EPA 200.8	TT3	1	PASI-M
10365818065	ROOM 162-SINK 1	EPA 200.8	TT3	1	PASI-M
10365818066	ROOM 162-SINK 2	EPA 200.8	TT3	1	PASI-M
10365818067	ROOM 162-SINK 3	EPA 200.8	TT3	1	PASI-M
10365818068	ROOM 162-SINK 4	EPA 200.8	TT3	1	PASI-M
10365818069	ROOM 160-SLOP SINK	EPA 200.8	TT3	1	PASI-M
10365818070	ROOM 158-SINK 1	EPA 200.8	TT3	1	PASI-M
10365818071	ROOM 158-SINK 2	EPA 200.8	TT3	1	PASI-M
10365818072	ROOM 158-SINK 3	EPA 200.8	TT3	1	PASI-M
10365818073	ROOM 158-SINK 4	EPA 200.8	TT3	1	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
10365818074	ROOM 156-SINK	EPA 200.8	TT3	1	PASI-M
10365818075	ROOM 156A-SINK	EPA 200.8	TT3	1	PASI-M
10365818076	ROOM 156C-SINK	EPA 200.8	TT3	1	PASI-M
10365818077	ROOM 120-NURSE HANDICAP SINK	EPA 200.8	TT3	1	PASI-M
10365818078	ROOM 161-SINK	EPA 200.8	TT3	1	PASI-M
10365818079	ROOM 172A-SINK	EPA 200.8	TT3	1	PASI-M

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Sample: ROOM 129-SINK		Lab ID: 10365818001	Collected: 09/30/16 04:17	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	3.1	ug/L	0.10	1		10/17/16 16:50	7439-92-1	
Sample: ROOM 132-KITCHEN SINK		Lab ID: 10365818002	Collected: 09/30/16 04:17	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	7.2	ug/L	0.10	1		10/17/16 16:54	7439-92-1	
Sample: ROOM 133-KITCHEN HAND WASH SIN		Lab ID: 10365818003	Collected: 09/30/16 04:18	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	1.6	ug/L	0.10	1		10/17/16 16:55	7439-92-1	
Sample: ROOM 125-SINK		Lab ID: 10365818004	Collected: 09/30/16 04:20	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	28.3	ug/L	0.10	1		10/17/16 16:56	7439-92-1	
Sample: ROOM 138-SINK		Lab ID: 10365818005	Collected: 09/30/16 04:21	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	1.9	ug/L	0.10	1		10/17/16 16:57	7439-92-1	
Sample: ROOM 140-SINK		Lab ID: 10365818006	Collected: 09/30/16 04:23	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	3.2	ug/L	0.10	1		10/17/16 17:01	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

Sample: ROOM 142-SINK		Lab ID: 10365818007	Collected: 09/30/16 04:26	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	2.8	ug/L	0.10	1		10/17/16 17:02	7439-92-1	
------	------------	------	------	---	--	----------------	-----------	--

Sample: ROOM 144-SINK		Lab ID: 10365818008	Collected: 09/30/16 04:27	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	2.2	ug/L	0.10	1		10/17/16 17:03	7439-92-1	
------	------------	------	------	---	--	----------------	-----------	--

Sample: ROOM 146-SLOP SINK		Lab ID: 10365818009	Collected: 09/30/16 04:29	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS Analytical Method: EPA 200.8 Preparation Method: EPA 200.8

Lead	64.5	ug/L	0.10	1	10/18/16 12:27	10/18/16 23:00	7439-92-1	
------	-------------	------	------	---	----------------	----------------	-----------	--

Sample: ROOM 148-SINK		Lab ID: 10365818010	Collected: 09/30/16 04:30	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	2.8	ug/L	0.10	1		10/17/16 17:04	7439-92-1	
------	------------	------	------	---	--	----------------	-----------	--

Sample: ROOM 149-SINK		Lab ID: 10365818011	Collected: 09/30/16 04:31	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	4.5	ug/L	0.10	1		10/17/16 17:06	7439-92-1	
------	------------	------	------	---	--	----------------	-----------	--

Sample: ROOM 147-SINK		Lab ID: 10365818012	Collected: 09/30/16 04:30	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	4.9	ug/L	0.10	1		10/17/16 17:07	7439-92-1	
------	------------	------	------	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

Sample: ROOM 145-SINK	Lab ID: 10365818013	Collected: 09/30/16 04:28	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	2.4	ug/L	0.10	1		10/17/16 17:08	7439-92-1	
------	------------	------	------	---	--	----------------	-----------	--

Sample: ROOM 143-SINK	Lab ID: 10365818014	Collected: 09/30/16 04:27	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	4.6	ug/L	0.10	1		10/17/16 17:09	7439-92-1	
------	------------	------	------	---	--	----------------	-----------	--

Sample: ROOM 141-SINK	Lab ID: 10365818015	Collected: 09/30/16 04:26	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	3.4	ug/L	0.10	1		10/17/16 17:10	7439-92-1	
------	------------	------	------	---	--	----------------	-----------	--

Sample: ROOM 139-SINK	Lab ID: 10365818016	Collected: 09/30/16 04:24	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	4.5	ug/L	0.10	1		10/17/16 17:14	7439-92-1	
------	------------	------	------	---	--	----------------	-----------	--

Sample: ROOM 109-EAST SINK	Lab ID: 10365818017	Collected: 09/30/16 04:34	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	10.2	ug/L	0.10	1		10/17/16 17:15	7439-92-1	
------	-------------	------	------	---	--	----------------	-----------	--

Sample: ROOM 109-WEST SINK	Lab ID: 10365818018	Collected: 09/30/16 04:34	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	13.4	ug/L	0.10	1		10/17/16 17:16	7439-92-1	
------	-------------	------	------	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: ROOM 105 EAST SINK **Lab ID: 10365818019** Collected: 09/30/16 04:35 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	4.1	ug/L	0.10	1		10/17/16 17:17	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: ROOM 105-WEST SINK **Lab ID: 10365818020** Collected: 09/30/16 04:35 Received: 10/12/16 10:00 Matrix: Water

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	2.9	ug/L	0.10	1		10/17/16 17:18	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: ROOM 104E-OUTSIDE BATHROOM SIN **Lab ID: 10365818021** Collected: 09/30/16 04:37 Received: 10/12/16 10:00 Matrix: Water

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	11.4	ug/L	0.10	1		10/17/16 13:07	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: ROOM 104D-OUTSIDE BATHROOM SIN **Lab ID: 10365818022** Collected: 09/30/16 04:39 Received: 10/12/16 10:00 Matrix: Water

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	38.6	ug/L	0.10	1		10/17/16 13:11	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: ROOM 104B-SINK **Lab ID: 10365818023** Collected: 09/30/16 04:40 Received: 10/12/16 10:00 Matrix: Water

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	29.1	ug/L	0.10	1		10/17/16 13:12	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	--------------	----	----------	----------	---------	------

Sample: ROOM 114-GIRLS LOCKER ROOM-NOR **Lab ID: 10365818024** Collected: 09/30/16 04:43 Received: 10/12/16 10:00 Matrix: Water

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	26.5	ug/L	0.10	1		10/17/16 13:13	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Sample: ROOM 114-BOYS LOCKER ROOM-EAST **Lab ID: 10365818025** Collected: 09/30/16 04:45 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	23.1	ug/L	0.10	1		10/17/16 13:14	7439-92-1	

Sample: ROOM 114-BOYS LOCKER ROOM-WEST **Lab ID: 10365818026** Collected: 09/30/16 04:45 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	10	ug/L	0.10	1		10/17/16 13:18	7439-92-1	

Sample: ROOM 115-SLOP SINK **Lab ID: 10365818027** Collected: 09/30/16 04:46 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	6.5	ug/L	0.10	1		10/17/16 13:19	7439-92-1	

Sample: ROOM 113-SINK **Lab ID: 10365818028** Collected: 09/30/16 04:47 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	53.2	ug/L	0.10	1		10/17/16 13:20	7439-92-1	

Sample: ROOM 113A-SINK **Lab ID: 10365818029** Collected: 09/30/16 04:47 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	17.7	ug/L	0.10	1		10/17/16 13:21	7439-92-1	

Sample: ROOM 111-WEST SINK **Lab ID: 10365818030** Collected: 09/30/16 04:49 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	12.9	ug/L	0.10	1		10/17/16 13:22	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Sample: ROOM 120A-SINK		Lab ID: 10365818031	Collected: 09/30/16 04:50	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	11.0	ug/L	0.10	1		10/17/16 13:24	7439-92-1	
Sample: ROOM 120A-NURSE BACK ROOM SINK		Lab ID: 10365818032	Collected: 09/30/16 04:51	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	9.7	ug/L	0.10	1		10/17/16 13:25	7439-92-1	
Sample: ROOM 120-NURSES BATHROOM SINK		Lab ID: 10365818033	Collected: 09/30/16 04:51	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	7.1	ug/L	0.10	1		10/17/16 13:26	7439-92-1	
Sample: ROOM 155-SINK		Lab ID: 10365818034	Collected: 09/30/16 04:54	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	29.0	ug/L	0.10	1		10/17/16 13:27	7439-92-1	
Sample: ROOM 157-SINK		Lab ID: 10365818035	Collected: 09/30/16 04:58	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	19.3	ug/L	0.10	1		10/17/16 13:31	7439-92-1	
Sample: ROOM 163-SINK		Lab ID: 10365818036	Collected: 09/30/16 05:11	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	27.0	ug/L	0.10	1		10/17/16 13:32	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Sample: ROOM 165-SINK		Lab ID: 10365818037	Collected: 09/30/16 05:12	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	23.0	ug/L	0.10	1		10/17/16 13:33	7439-92-1	
Sample: ROOM 167-SINK		Lab ID: 10365818038	Collected: 09/30/16 05:15	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	4.7	ug/L	0.10	1		10/17/16 13:34	7439-92-1	
Sample: ROOM 169-NORTH SIDE BATHROOM S		Lab ID: 10365818039	Collected: 09/30/16 05:16	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	1.3	ug/L	0.10	1		10/17/16 13:35	7439-92-1	
Sample: ROOM 169-SOUTH SIDE BATHROOM S		Lab ID: 10365818040	Collected: 09/30/16 05:15	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	0.91	ug/L	0.10	1		10/17/16 13:36	7439-92-1	
Sample: ROOM 175A-SINK		Lab ID: 10365818041	Collected: 09/30/16 05:18	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	2.8	ug/L	0.10	1		10/17/16 13:42	7439-92-1	
Sample: ROOM 181-SINK		Lab ID: 10365818042	Collected: 09/30/16 05:17	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	7.1	ug/L	0.10	1		10/17/16 13:46	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

Sample: ROOM 183-SINK	Lab ID: 10365818043	Collected: 09/30/16 05:25	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	1.9	ug/L	0.10	1		10/17/16 13:47	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Sample: ROOM 185-SINK	Lab ID: 10365818044	Collected: 09/30/16 05:30	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	8.0	ug/L	0.10	1		10/17/16 13:48	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Sample: ROOM 187-SINK	Lab ID: 10365818045	Collected: 09/30/16 05:35	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	16.9	ug/L	0.10	1		10/17/16 13:49	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

Sample: ROOM 189-SINK	Lab ID: 10365818046	Collected: 09/30/16 05:34	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	12.2	ug/L	0.10	1		10/17/16 13:53	7439-92-1	
------	------	------	------	---	--	----------------	-----------	--

Sample: ROOM 189-FAUCET	Lab ID: 10365818047	Collected: 09/30/16 05:34	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	2.9	ug/L	0.10	1		10/17/16 13:54	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Sample: ROOM 191-SINK	Lab ID: 10365818048	Collected: 09/30/16 05:40	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	7.1	ug/L	0.10	1		10/17/16 13:55	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

Sample: ROOM 191-FOUNTAIN		Lab ID: 10365818049	Collected: 09/30/16 05:40	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	1.8	ug/L	0.10	1		10/17/16 13:56	7439-92-1	
Sample: ROOM 192-SINK		Lab ID: 10365818050	Collected: 09/30/16 05:43	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	3.7	ug/L	0.10	1		10/17/16 13:57	7439-92-1	
Sample: ROOM 192-FOUNTAIN		Lab ID: 10365818051	Collected: 09/30/16 05:43	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	3.3	ug/L	0.10	1		10/17/16 13:59	7439-92-1	
Sample: ROOM 190-SINK		Lab ID: 10365818052	Collected: 09/30/16 05:35	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	17.8	ug/L	0.10	1		10/17/16 14:01	7439-92-1	
Sample: ROOM 190-FOUNTAIN		Lab ID: 10365818053	Collected: 09/30/16 05:36	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	1.8	ug/L	0.10	1		10/17/16 14:02	7439-92-1	
Sample: ROOM 188-SINK		Lab ID: 10365818054	Collected: 09/30/16 05:39	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	10.4	ug/L	0.10	1		10/17/16 14:03	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

Sample: ROOM 188-FOUNTAIN	Lab ID: 10365818055	Collected: 09/30/16 05:35	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	3.1	ug/L	0.10	1		10/17/16 14:06	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Sample: ROOM 184-SLOP SINK	Lab ID: 10365818056	Collected: 09/30/16 05:25	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	3.0	ug/L	0.10	1		10/17/16 14:07	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Sample: HAND SINK OUTSIDE ROOM-184-SOU	Lab ID: 10365818057	Collected: 09/30/16 05:27	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	7.8	ug/L	0.10	1		10/17/16 14:08	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Sample: HAND SINK OUTSIDE ROOM-184-NOR	Lab ID: 10365818058	Collected: 09/30/16 05:27	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	4.4	ug/L	0.10	1		10/17/16 14:09	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Sample: SINK OUTSIDE 172C-ART ROOM	Lab ID: 10365818059	Collected: 09/30/16 05:23	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	5.0	ug/L	0.10	1		10/17/16 14:11	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

Sample: SINK OUTSIDE 172D-ART ROOM	Lab ID: 10365818060	Collected: 09/30/16 05:23	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual

200.8 MET ICPMS, DW Analytical Method: EPA 200.8

Lead	4.9	ug/L	0.10	1		10/17/16 14:12	7439-92-1	
------	-----	------	------	---	--	----------------	-----------	--

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Sample: SINK OUTSIDE 172E-WEST SIDE **Lab ID: 10365818061** Collected: 09/30/16 05:24 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	2.5	ug/L	0.10	1		10/16/16 13:27	7439-92-1	

Sample: SINK OUTSIDE 172E-NORTH SIDE **Lab ID: 10365818062** Collected: 09/30/16 05:24 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	4.1	ug/L	0.10	1		10/16/16 13:33	7439-92-1	

Sample: ROOM 166-SINK **Lab ID: 10365818063** Collected: 09/30/16 05:12 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	22.1	ug/L	0.10	1		10/16/16 13:35	7439-92-1	

Sample: ROOM 164-SINK **Lab ID: 10365818064** Collected: 09/30/16 05:10 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	18.4	ug/L	0.10	1		10/16/16 13:36	7439-92-1	

Sample: ROOM 162-SINK 1 **Lab ID: 10365818065** Collected: 09/30/16 05:11 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	5.0	ug/L	0.10	1		10/16/16 13:38	7439-92-1	

Sample: ROOM 162-SINK 2 **Lab ID: 10365818066** Collected: 09/30/16 05:11 Received: 10/12/16 10:00 Matrix: Water

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW Analytical Method: EPA 200.8								
Lead	7.4	ug/L	0.10	1		10/16/16 13:39	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Sample: ROOM 162-SINK 3		Lab ID: 10365818067	Collected: 09/30/16 05:11	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	12.8	ug/L	0.10	1		10/16/16 13:41	7439-92-1	
Sample: ROOM 162-SINK 4		Lab ID: 10365818068	Collected: 09/30/16 05:07	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	7.8	ug/L	0.10	1		10/16/16 13:45	7439-92-1	
Sample: ROOM 160-SLOP SINK		Lab ID: 10365818069	Collected: 09/30/16 05:05	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	5.8	ug/L	0.10	1		10/16/16 13:47	7439-92-1	
Sample: ROOM 158-SINK 1		Lab ID: 10365818070	Collected: 09/30/16 05:00	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	3.6	ug/L	0.10	1		10/16/16 13:48	7439-92-1	
Sample: ROOM 158-SINK 2		Lab ID: 10365818071	Collected: 09/30/16 05:00	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	3.5	ug/L	0.10	1		10/16/16 13:50	7439-92-1	
Sample: ROOM 158-SINK 3		Lab ID: 10365818072	Collected: 09/30/16 05:01	Received: 10/12/16 10:00	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	9.6	ug/L	0.10	1		10/16/16 13:53	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Sample: ROOM 158-SINK 4	Lab ID: 10365818073	Collected: 09/30/16 05:02	Received: 10/12/16 10:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	37.0	ug/L	0.10	1		10/16/16 13:55	7439-92-1	
Sample: ROOM 156-SINK		Lab ID: 10365818074		Collected: 09/30/16 04:58	Received: 10/12/16 10:00	Matrix: Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	17.7	ug/L	0.10	1		10/16/16 13:56	7439-92-1	
Sample: ROOM 156A-SINK		Lab ID: 10365818075		Collected: 09/30/16 04:58	Received: 10/12/16 10:00	Matrix: Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	1.2	ug/L	0.10	1		10/16/16 13:58	7439-92-1	
Sample: ROOM 156C-SINK		Lab ID: 10365818076		Collected: 09/30/16 04:56	Received: 10/12/16 10:00	Matrix: Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	14.0	ug/L	0.10	1		10/16/16 13:59	7439-92-1	
Sample: ROOM 120-NURSE HANDICAP SINK		Lab ID: 10365818077		Collected: 09/30/16 04:54	Received: 10/12/16 10:00	Matrix: Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS, DW		Analytical Method: EPA 200.8						
Lead	1.6	ug/L	0.10	1		10/16/16 14:07	7439-92-1	
Sample: ROOM 161-SINK		Lab ID: 10365818078		Collected: 09/30/16 05:05	Received: 10/12/16 10:00	Matrix: Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
200.8 MET ICPMS		Analytical Method: EPA 200.8 Preparation Method: EPA 200.8						
Lead	2530	ug/L	2.0	20	10/18/16 12:27	10/19/16 22:13	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: ROOM 172A-SINK		Lab ID: 10365818079		Collected: 09/30/16 05:20	Received: 10/12/16 10:00	Matrix: Water		
200.8 MET ICPMS								
		Analytical Method: EPA 200.8 Preparation Method: EPA 200.8						
Lead	3030	ug/L	2.0	20	10/18/16 12:27	10/19/16 22:14	7439-92-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

QC Batch: 440820 Analysis Method: EPA 200.8
 QC Batch Method: EPA 200.8 Analysis Description: ICPMS Metals, Drinking Water
 Associated Lab Samples: 10365818001, 10365818002, 10365818003, 10365818004, 10365818005, 10365818006, 10365818007, 10365818008, 10365818010, 10365818011, 10365818012, 10365818013, 10365818014, 10365818015, 10365818016, 10365818017, 10365818018, 10365818019, 10365818020

METHOD BLANK: 2398290 Matrix: Water
 Associated Lab Samples: 10365818001, 10365818002, 10365818003, 10365818004, 10365818005, 10365818006, 10365818007, 10365818008, 10365818010, 10365818011, 10365818012, 10365818013, 10365818014, 10365818015, 10365818016, 10365818017, 10365818018, 10365818019, 10365818020

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/17/16 16:47	

LABORATORY CONTROL SAMPLE: 2398291

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	99.7	100	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2403298 2403299

Parameter	Units	10365818001		2403299		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	MS Spike Conc.	MS Result	MSD Result	% Rec	% Rec						
Lead	ug/L	3.1	100	100	97.8	103	95	99	70-130	5	20		

MATRIX SPIKE SAMPLE: 2403300

Parameter	Units	10365818010 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	2.8	100	101	98	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

QC Batch: 440821 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: ICPMS Metals, Drinking Water
Associated Lab Samples: 10365818021, 10365818022, 10365818023, 10365818024, 10365818025, 10365818026, 10365818027, 10365818028, 10365818029, 10365818030, 10365818031, 10365818032, 10365818033, 10365818034, 10365818035, 10365818036, 10365818037, 10365818038, 10365818039, 10365818040

METHOD BLANK: 2398293 Matrix: Water
Associated Lab Samples: 10365818021, 10365818022, 10365818023, 10365818024, 10365818025, 10365818026, 10365818027, 10365818028, 10365818029, 10365818030, 10365818031, 10365818032, 10365818033, 10365818034, 10365818035, 10365818036, 10365818037, 10365818038, 10365818039, 10365818040

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/17/16 13:04	

LABORATORY CONTROL SAMPLE: 2398294

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	94.2	94	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2402995 2402996

Parameter	Units	10365818021 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	11.4	100	100	106	108	95	96	70-130	1	20	

MATRIX SPIKE SAMPLE: 2402997

Parameter	Units	10365818030 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	12.9	100	111	98	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

QC Batch:	440822	Analysis Method:	EPA 200.8
QC Batch Method:	EPA 200.8	Analysis Description:	ICPMS Metals, Drinking Water
Associated Lab Samples:	10365818041, 10365818042, 10365818043, 10365818044, 10365818045, 10365818046, 10365818047, 10365818048, 10365818049, 10365818050, 10365818051, 10365818052, 10365818053, 10365818054, 10365818055, 10365818056, 10365818057, 10365818058, 10365818059, 10365818060		

METHOD BLANK:	2398296	Matrix:	Water
Associated Lab Samples:	10365818041, 10365818042, 10365818043, 10365818044, 10365818045, 10365818046, 10365818047, 10365818048, 10365818049, 10365818050, 10365818051, 10365818052, 10365818053, 10365818054, 10365818055, 10365818056, 10365818057, 10365818058, 10365818059, 10365818060		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/17/16 13:39	

LABORATORY CONTROL SAMPLE:	2398297
----------------------------	---------

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	96.8	97	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE:	2403003			2403004								
--	---------	--	--	---------	--	--	--	--	--	--	--	--

Parameter	Units	10365818041 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	2.8	100	100	102	101	99	98	70-130	1	20	

MATRIX SPIKE SAMPLE:	2403005
----------------------	---------

Parameter	Units	10365818050 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.7	100	98.9	95	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

QC Batch: 440823 Analysis Method: EPA 200.8
 QC Batch Method: EPA 200.8 Analysis Description: ICPMS Metals, Drinking Water
 Associated Lab Samples: 10365818061, 10365818062, 10365818063, 10365818064, 10365818065, 10365818066, 10365818067,
 10365818068, 10365818069, 10365818070, 10365818071, 10365818072, 10365818073, 10365818074,
 10365818075, 10365818076, 10365818077

METHOD BLANK: 2398299 Matrix: Water
 Associated Lab Samples: 10365818061, 10365818062, 10365818063, 10365818064, 10365818065, 10365818066, 10365818067,
 10365818068, 10365818069, 10365818070, 10365818071, 10365818072, 10365818073, 10365818074,
 10365818075, 10365818076, 10365818077

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/16/16 13:09	

LABORATORY CONTROL SAMPLE: 2398300

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	101	101	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2402659 2402660

Parameter	Units	10365818061 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Lead	ug/L	2.5	100	100	102	105	100	102	70-130	2	20	

MATRIX SPIKE SAMPLE: 2402661

Parameter	Units	10365818071 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	3.5	100	107	104	70-130	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

QC Batch: 441615 Analysis Method: EPA 200.8
QC Batch Method: EPA 200.8 Analysis Description: 200.8 MET
Associated Lab Samples: 10365818009, 10365818078, 10365818079

METHOD BLANK: 2403963 Matrix: Water
Associated Lab Samples: 10365818009, 10365818078, 10365818079

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Lead	ug/L	ND	0.10	10/18/16 22:41	

LABORATORY CONTROL SAMPLE: 2403964

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Lead	ug/L	100	107	107	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2403965 2403966

Parameter	Units	10365790057		MSD		MS		MSD		% Rec Limits	RPD	Max RPD	Qual
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec				
Lead	ug/L	43.3	100	100	100	140	140	97	97	70-130	0	20	

MATRIX SPIKE SAMPLE: 2403967

Parameter	Units	10366210062 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Lead	ug/L		232	100	326	94	70-130

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

LABORATORIES

PASI-M Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: O CSD - Fredrick Leighton Elem
Pace Project No.: 10365818

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365818001	ROOM 129-SINK	EPA 200.8	440820		
10365818002	ROOM 132-KITCHEN SINK	EPA 200.8	440820		
10365818003	ROOM 133-KITCHEN HAND WASH SIN	EPA 200.8	440820		
10365818004	ROOM 125-SINK	EPA 200.8	440820		
10365818005	ROOM 138-SINK	EPA 200.8	440820		
10365818006	ROOM 140-SINK	EPA 200.8	440820		
10365818007	ROOM 142-SINK	EPA 200.8	440820		
10365818008	ROOM 144-SINK	EPA 200.8	440820		
10365818010	ROOM 148-SINK	EPA 200.8	440820		
10365818011	ROOM 149-SINK	EPA 200.8	440820		
10365818012	ROOM 147-SINK	EPA 200.8	440820		
10365818013	ROOM 145-SINK	EPA 200.8	440820		
10365818014	ROOM 143-SINK	EPA 200.8	440820		
10365818015	ROOM 141-SINK	EPA 200.8	440820		
10365818016	ROOM 139-SINK	EPA 200.8	440820		
10365818017	ROOM 109-EAST SINK	EPA 200.8	440820		
10365818018	ROOM 109-WEST SINK	EPA 200.8	440820		
10365818019	ROOM 105 EAST SINK	EPA 200.8	440820		
10365818020	ROOM 105-WEST SINK	EPA 200.8	440820		
10365818021	ROOM 104E-OUTSIDE BATHROOM SIN	EPA 200.8	440821		
10365818022	ROOM 104D-OUTSIDE BATHROOM SIN	EPA 200.8	440821		
10365818023	ROOM 104B-SINK	EPA 200.8	440821		
10365818024	ROOM 114-GIRLS LOCKER ROOM-NOR	EPA 200.8	440821		
10365818025	ROOM 114-BOYS LOCKER ROOM-EAST	EPA 200.8	440821		
10365818026	ROOM 114-BOYS LOCKER ROOM-WEST	EPA 200.8	440821		
10365818027	ROOM 115-SLOP SINK	EPA 200.8	440821		
10365818028	ROOM 113-SINK	EPA 200.8	440821		
10365818029	ROOM 113A-SINK	EPA 200.8	440821		
10365818030	ROOM 111-WEST SINK	EPA 200.8	440821		
10365818031	ROOM 120A-SINK	EPA 200.8	440821		
10365818032	ROOM 120A-NURSE BACK ROOM SINK	EPA 200.8	440821		
10365818033	ROOM 120-NURSES BATHROOM SINK	EPA 200.8	440821		
10365818034	ROOM 155-SINK	EPA 200.8	440821		
10365818035	ROOM 157-SINK	EPA 200.8	440821		
10365818036	ROOM 163-SINK	EPA 200.8	440821		
10365818037	ROOM 165-SINK	EPA 200.8	440821		
10365818038	ROOM 167-SINK	EPA 200.8	440821		
10365818039	ROOM 169-NORTH SIDE BATHROOM S	EPA 200.8	440821		
10365818040	ROOM 169-SOUTH SIDE BATHROOM S	EPA 200.8	440821		
10365818041	ROOM 175A-SINK	EPA 200.8	440822		
10365818042	ROOM 181-SINK	EPA 200.8	440822		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: O CSD - Fredrick Leighton Elem

Pace Project No.: 10365818

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
10365818043	ROOM 183-SINK	EPA 200.8	440822		
10365818044	ROOM 185-SINK	EPA 200.8	440822		
10365818045	ROOM 187-SINK	EPA 200.8	440822		
10365818046	ROOM 189-SINK	EPA 200.8	440822		
10365818047	ROOM 189-FAUCET	EPA 200.8	440822		
10365818048	ROOM 191-SINK	EPA 200.8	440822		
10365818049	ROOM 191-FOUNTAIN	EPA 200.8	440822		
10365818050	ROOM 192-SINK	EPA 200.8	440822		
10365818051	ROOM 192-FOUNTAIN	EPA 200.8	440822		
10365818052	ROOM 190-SINK	EPA 200.8	440822		
10365818053	ROOM 190-FOUNTAIN	EPA 200.8	440822		
10365818054	ROOM 188-SINK	EPA 200.8	440822		
10365818055	ROOM 188-FOUNTAIN	EPA 200.8	440822		
10365818056	ROOM 184-SLOP SINK	EPA 200.8	440822		
10365818057	HAND SINK OUTSIDE ROOM-184-SOU	EPA 200.8	440822		
10365818058	HAND SINK OUTSIDE ROOM-184-NOR	EPA 200.8	440822		
10365818059	SINK OUTSIDE 172C-ART ROOM	EPA 200.8	440822		
10365818060	SINK OUTSIDE 172D-ART ROOM	EPA 200.8	440822		
10365818061	SINK OUTSIDE 172E-WEST SIDE	EPA 200.8	440823		
10365818062	SINK OUTSIDE 172E-NORTH SIDE	EPA 200.8	440823		
10365818063	ROOM 166-SINK	EPA 200.8	440823		
10365818064	ROOM 164-SINK	EPA 200.8	440823		
10365818065	ROOM 162-SINK 1	EPA 200.8	440823		
10365818066	ROOM 162-SINK 2	EPA 200.8	440823		
10365818067	ROOM 162-SINK 3	EPA 200.8	440823		
10365818068	ROOM 162-SINK 4	EPA 200.8	440823		
10365818069	ROOM 160-SLOP SINK	EPA 200.8	440823		
10365818070	ROOM 158-SINK 1	EPA 200.8	440823		
10365818071	ROOM 158-SINK 2	EPA 200.8	440823		
10365818072	ROOM 158-SINK 3	EPA 200.8	440823		
10365818073	ROOM 158-SINK 4	EPA 200.8	440823		
10365818074	ROOM 156-SINK	EPA 200.8	440823		
10365818075	ROOM 156A-SINK	EPA 200.8	440823		
10365818076	ROOM 156C-SINK	EPA 200.8	440823		
10365818077	ROOM 120-NURSE HANDICAP SINK	EPA 200.8	440823		
10365818009	ROOM 146-SLOP SINK	EPA 200.8	441615	EPA 200.8	441832
10365818078	ROOM 161-SINK	EPA 200.8	441615	EPA 200.8	441832
10365818079	ROOM 172A-SINK	EPA 200.8	441615	EPA 200.8	441832

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



10365818

Page: 2 of 7

Section A

Required Client Information:

Company: Oswego CSD

Address: 225 West Ulica St

Oswego, NY 12126

Email To:

dcrisafu@oswego.org

Phone:

Fac:

Section B

Required Project Information:

Report To:

Copy To:

Address:

Purchase Order No.:

Project Name:

Project Number:

Section C

Invoice Information:

Attention:

Company Name:

Address:

Pace Quote Reference:

Pace Project Manager:

Pace Profile #:

REGULATORY AGENCY

NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER

SITE GA IL IN MI NC
LOCATION OH SC WI OTHER_NY

ITEM #	Section D Required Client Information	Valid Matrix Codes	MATRIX	SAMPLE ID (A-Z, 0-9 / -)	SAMPLE TYPE	COLLECTED		# OF CONTAINERS	PRESERVATIVES	Requested Analyte	Filtered (Y/N)	Pace Project No. Lab I.D.
						COMPOSITE START	COMPOSITE END/GRAB					
1	ROOM 129 - SINK	DW	G	9:50	4:17	1	Unpreserved	1		X		001
2	ROOM 132 - KITCHEN SINK	DW	G	4:17	4:17	1		1		X		002
3	ROOM 133 - KITCHEN HAND WASH SINK	DW	G	4:16	4:16	1		1		X		003
4	ROOM 125 - SINK	DW	G	4:20	4:20	1		1		X		004
5	ROOM 138 - SINK	DW	G	4:21	4:21	1		1		X		005
6	ROOM 140 - SINK	DW	G	4:23	4:23	1		1		X		006
7	ROOM 142 - SINK	DW	G	4:26	4:26	1		1		X		007
8	ROOM 144 - SINK	DW	G	4:27	4:27	1		1		X		008
9	ROOM 146 - SLOP SINK	DW	G	4:29	4:29	1		1		X		009
10	ROOM 148 - SINK	DW	G	4:30	4:30	1		1		X		010
11	ROOM 149 - SINK	DW	G	4:31	4:31	1		1		X		011
12	ROOM 147 - SINK	DW	G	4:30	4:30	1		1		X		012

RELIQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
<i>James Paces</i>	4/16/16	18:30	<i>EM Pace</i>	4/16/16	18:00	Received on Ice Y/N Custody Sealed Y/N Cooler Y/N Samples Intact Y/N
				10/12/16		

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: James Murphy - PACE Analytical
 SIGNATURE of SAMPLER: *James Murphy*

DATE Signed (MM/DD/YY):

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:

Company: **Oswego CSD**
 Address: **225 West Ulica St**
 Oswego, NY 12126
 Email To: **dcrisafu@oswego.org**
 Project Name: **Fredrick Leighton Elm**
 Project Number: _____
 Project Profile #: _____

Section B Required Project Information:

Report To: _____
 Copy To: _____
 Purchase Order No.: _____
 Project Name: **Fredrick Leighton Elm**
 Pace Project Manager: _____
 Pace Profile #: _____

Section C Invoice Information:

Attention: _____
 Company Name: _____
 Address: _____
 Pace Quote Reference: _____
 Pace Project Manager: _____

REGULATORY AGENCY

NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER _____

SITE LOCATION

GA IL IN MI NC
 OH SC WI OTHER NY

ITEM #	Section D Required Client Information	Matrix Code	Matrix	Sample Type	COLLECTED		# OF CONTAINERS	SAMPLER TEMP AT COLLECTION	PRESERVATIVES							Requested Airt	Filtered (Y/N)	Pace Project No. Lab I.D.
					COMPOSITE START	COMPOSITE END/GRAB			Unreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol			
1	ROOM 145 - SINK	DW	G	4:30	4:36	1											013	
2	ROOM 143 - SINK	DW	G	4:27		1											014	
3	ROOM 141 - SINK	DW	G	4:26		1											015	
4	ROOM 139 - SINK	DW	G	4:24		1											016	
5	ROOM 109 - EAST SINK	DW	G	4:34		1											017	
6	ROOM 109 - WEST SINK	DW	G	4:34		1											018	
7	ROOM 105 - EAST SINK	DW	G	4:36		1											019	
8	ROOM 105 - WEST SINK	DW	G	4:35		1											020	
9	ROOM 104E - OUTSIDE BATHROOM SINK	DW	G	4:37		1											021	
10	ROOM 104D - OUTSIDE BATHROOM SINK	DW	G	4:39		1											022	
11	ROOM 104B - SINK	DW	G	4:40		1											023	
12	ROOM 114 - GIRLS LOCKER ROOM - NORTH SINK	DW	G	4:43		1											024	

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	Temp in °C	Received on Ice	Custody Sealed	Cooler	Samples Intact
<i>James PACE</i>	<i>James PACE</i>	10/16/16	13:30	<i>James PACE</i>	10/16/16	12:00	17.9	Y/N	Y/N	Y/N	Y/N
							18.2	Y/N	Y/N	Y/N	Y/N

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: **James Murphy - PACE Analytical**
 SIGNATURE of SAMPLER: _____
 DATE Signed (MM / DD / YY): _____

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A Required Client Information: Company: Oswego CSD Address: 225 West Ulica St Oswego, NY 12126 Email To: dcrtisafu@oswego.csg.ny.us Phone: _____ Fax: _____		Section B Required Project Information: Report To: _____ Copy To: _____ Purchase Order No.: _____ Project Name: Fredrick Leighton Elm Project Number: _____		Section C Invoice Information: Attention: _____ Company Name: _____ Address: _____ Pace Quote Reference: _____ Pace Project Manager: _____ Pace Profile #: _____															
Requested Due Date/TAT: _____		REGULATORY AGENCY <input type="checkbox"/> NPDES <input type="checkbox"/> GROUND WATER <input checked="" type="checkbox"/> DRINKING WATER <input type="checkbox"/> UST <input type="checkbox"/> RCRA <input type="checkbox"/> GA <input type="checkbox"/> IL <input type="checkbox"/> IN <input type="checkbox"/> MI <input type="checkbox"/> NC LOCATION <input type="checkbox"/> OH <input type="checkbox"/> SC <input type="checkbox"/> WI <input type="checkbox"/> OTHER NY																	
ITEM #	Section D Required Client Information SAMPLE ID (A-Z, 0-9 / -) Sample IDs MUST BE UNIQUE	Valid Matrix Codes MATRIX CODE DW DRINKING WATER WT WASTE WATER PW WASTEWATER SL SOLID CL CLAY OC OIL AR AIR OT OTHER TS TISSUE	COLLECTED		SAMPLE TYPE G-GRAB C-COMP	# OF CONTAINERS	PRESERVATIVES							Requested Antic	Filtered (Y/N)	Face Project No., Lab I.D.			
			COMPOSITE START DATE	COMPOSITE END/GRAB TIME			Unpreserved	H ₂ SO ₄	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃	Methanol				Na ₂ SO ₄		
1	ROOM 114 - BOYS LOCKER ROOM- EAST SINK	DW	G	9/29	4:45	1										025			
2	ROOM 114 - BOYS LOCKER ROOM- WEST SINK	DW	G		4:45	1										026			
3	ROOM 115 - SLOP SINK	DW	G		4:46	1										027			
4	ROOM 113 - SINK	DW	G		4:46	1										028			
5	ROOM 113A - SINK	DW	G		4:47	1										029			
6	ROOM 111 - WEST SINK	DW	G		4:48	1										030			
7	ROOM 120A - SINK	DW	G		4:50	1										031			
8	ROOM 120A - NURSE BACK ROOM SINK	DW	G		4:51	1										032			
9	ROOM 120 - NURSES BATHROOM SINK	DW	G		4:54	1										033			
10	ROOM 155 - SINK	DW	G		4:54	1										034			
11	ROOM 157 - SINK	DW	G		4:58	1										035			
12	ROOM 163 - SINK	DW	G		5:11	1										036			
ADDITIONAL COMMENTS: <i>James vj Pace</i>																			
RELINQUISHED BY / AFFILIATION						ACCEPTED BY / AFFILIATION						DATE				TIME			
<i>James vj Pace</i>						<i>EVL Pace</i>						<i>10/16/16</i>				<i>10:00</i>			
SAMPLER NAME AND SIGNATURE: <i>James Murphy</i> PRINT Name of SAMPLER: James Murphy - PACE Analytical SIGNATURE of SAMPLER: _____ DATE Signed (MM/DD/YY): <i>4/30/16</i>																			
Received on _____ Custody Sealed _____ Samples Intact _____ Temp in °C _____																			

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A

Required Client Information:

Company: **Oswego CSD**
 Address: 225 West Ulica St
 Oswego, NY 12126
 Email To: **dcrisafu@oswego.org**
 Project Name: **Frederick Leighton Elem**
 Project Number: _____

Section B

Required Project Information:

Report To: _____
 Copy To: _____
 Purchase Order No.: _____
 Project Name: **Frederick Leighton Elem**
 Project Manager: _____
 Pace Profile #: _____

Section C

Invoice Information:

Attention: _____
 Company Name: _____
 Address: _____
 Pace Quote Reference: _____
 Pace Project Manager: _____

Page: **4** of **7**

REGULATORY AGENCY

NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER _____

SITE LOCATION

GA IL IN MI NC
 OH SC WI OTHER_NY _____

ITEM #	Section D Required Client Information	Valid Matrix Codes	MATRIX	CODE	SAMPLER TYPE	COLLECTED		# OF CONTAINERS	PRESERVATIVES	Requeste Ante	Filtered (Y/N)	Pace Project No. Lab I.D.
						COMPOSITE START	COMPOSITE END/GRAB					
1	ROOM 165 - SINK	DW	DW	G	DW	G	9/30 5:12	1	Unpreserved	X		037
2	ROOM 167 - SINK	DW	DW	G	DW	G	5:15	1	Unpreserved	X		038
3	ROOM 168 - NORTH SIDE BATHROOM SINK	DW	DW	G	DW	G	5:16	1	Unpreserved	X		039
4	ROOM 169 - SOUTH SIDE BATHROOM SINK	DW	DW	G	DW	G	5:15	1	Unpreserved	X		040
5	ROOM 175A - SINK	DW	DW	G	DW	G	5:14	1	Unpreserved	X		041
6	ROOM 181 - SINK	DW	DW	G	DW	G	5:17	1	Unpreserved	X		042
7	ROOM 183 - SINK	DW	DW	G	DW	G	5:16	1	Unpreserved	X		043
8	ROOM 185 - SINK	DW	DW	G	DW	G	5:30	1	Unpreserved	X		044
9	ROOM 187 - SINK	DW	DW	G	DW	G	5:35	1	Unpreserved	X		045
10	ROOM 189 - SINK	DW	DW	G	DW	G	5:31	1	Unpreserved	X		046
11	ROOM 189 - FAUCET	DW	DW	G	DW	G	7:31	1	Unpreserved	X		047
12	ROOM 191 - SINK	DW	DW	G	DW	G	5:30	1	Unpreserved	X		048

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
	<i>James Murphy</i>	10/14/16	12:30	<i>EN Pace</i>	10/12/16	1000	Temp in °C: 17.9
							Received on Ice: Y/N
							Custody Sealed: Y/N
							Cooler: Y/N
							Samples Intact: Y/N

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: **James Murphy - PACE Analytical**
 SIGNATURE of SAMPLER: _____
 DATE Signed (MM / DD / YY): _____



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A		Section B		Section C	
Required Client Information:		Required Project Information:		Invoice Information:	
Company: Oswego CSD		Report To:		Attention:	
Address: 225 West Uliza St		Copy To:		Company Name:	
Oswego, NY 12126		Purchase Order No.:		Address:	
Email To: <u>dcrisafu@oswego.org</u>		Project Name: Fredrick Leighton Elem		Pace Quote Reference:	
Phone:		Project Number:		Pace Project Manager:	
Requested Due Date/TAT:		Valid Matrix Codes		Pace Profile #:	

REGULATORY AGENCY

NPDES GROUND WATER DRINKING WATER

UST RCRA OTHER

SITE LOCATION

GA IL IN MI NC

OH SC WI OTHER_NY

#	ITEM	MATRIX CODE	SAMPLER TYPE	COLLECTED		# OF CONTAINERS	PRESERVATIVES						Requested Ant	Filtered (Y/N)	Pace Project No. Lab I.D.
				COMPOSITE START	COMPOSITE END/GRAB		H ₂ SO ₄	Unpreserved	HNO ₃	HCl	NaOH	Na ₂ S ₂ O ₃			
1	ROOM 191 - FOUNTAIN	DW G	G	9:30	5:40	1		1							099
2	ROOM 192 - SINK	DW G	G		5:43	1		1							050
3	ROOM 192 - FOUNTAIN	DW G	G		5:43	1		1							051
4	ROOM 190 - SINK	DW G	G		5:35	1		1							052
5	ROOM 190 - FOUNTAIN	DW G	G		5:36	1		1							053
6	ROOM 188 - SINK	DW G	G		5:39	1		1							054
7	ROOM 188 - FOUNTAIN	DW G	G		5:38	1		1							055
8	ROOM 184 - SLOP SINK	DW G	G		5:26	1		1							056
9	HAND SINK OUTSIDE ROOM 184-SOUTH SIDE	DW G	G		5:27	1		1							057
10	HAND SINK OUTSIDE ROOM 184-NORTH SIDE	DW G	G		5:27	1		1							058
11	SINK OUTSIDE 172C-ART ROOM	DW G	G		5:23	1		1							059
12	SINK OUTSIDE 172D-ART ROOM	DW G	G		5:20	1		1							060

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	Temp in °C	Received on Ice	Custody Sealed	Cooler	Samples Intact
	<i>Jenny Pace</i>	9/30/10	12:30	<i>ENK</i>	10/14/10	10:00					

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER: James Murphy - PACE Analytical

SIGNATURE of SAMPLER: *Jenny Pace*

DATE Signed (MM / DD / YY): 9/30/10

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.



Section A
 Required Client Information:
 Company: Oswego CSD
 Address: 225 West Ulita St
 Oswego, NY 12126
 Email To: dcrisafu@oswego.org
 Phone: _____ Fax: _____
 Project Name: Fredrick Leighton Elett
 Project Manager: _____
 Project Number: _____
 Requested Due Date/TAT: _____

Section B
 Required Project Information:
 Report To: _____
 Copy To: _____
 Purchase Order No.: _____
 Project Name: _____
 Project Number: _____

Section C
 Invoice Information:
 Attention: _____
 Company Name: _____
 Address: _____
 Pace Quote Reference: _____
 Pace Project Manager: _____
 Pace Profile #: _____

REGULATORY AGENCY
 NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER _____

SITE LOCATION
 GA IL IN MI NC
 OH SC WI OTHER NY _____

ITEM #	Section D Required Client Information	Valid Matrix Codes	MATRIX CODE	SAMPLE TYPE	G-RAB G-COMP	COLLECTED		# OF CONTAINERS	PRESERVATIVES	Requested	Pace Project No. Lab ID.
						COMPOSITE START	COMPOSITE END/GRAB				
1	SINK OUTSIDE 172E - WEST SIDE	DW	DW	G		9/30	5:24	1	Unpreserved	X	061
2	SINK OUTSIDE 172E - NORTH SIDE	DW	DW	G		5:24		1		X	062
3	ROOM 166 - SINK	DW	DW	G		5:12		1		X	063
4	ROOM 164 - SINK	DW	DW	G		5:10		1		X	064
5	ROOM 162 - SINK 1	DW	DW	G		5:11		1		X	065
6	ROOM 162 - SINK 2	DW	DW	G		5:11		1		X	066
7	ROOM 162 - SINK 3	DW	DW	G		5:11		1		X	067
8	ROOM 162 - SINK 4	DW	DW	G		5:07		1		X	068
9	ROOM 160 - SLOP SINK	DW	DW	G		5:05		1		X	069
10	ROOM 158 - SINK 1	DW	DW	G		5:00		1		X	070
11	ROOM 158 - SINK 2	DW	DW	G		5:00		1		X	071
12	ROOM 158 - SINK 3	DW	DW	G		5:01		1		X	072

ADDITIONAL COMMENTS
 RELINQUISHED BY / AFFILIATION: *James Murphy PACE* DATE: 10/10/16 TIME: 19:30
 ACCEPTED BY / AFFILIATION: *EHL PACE* DATE: 10/10/16 TIME: 10:00
 SAMPLE CONDITIONS: Received on Ice Y/N, Custody Sealed Y/N, Samples Intact Y/N

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: James Murphy - PACE Analytical
 SIGNATURE of SAMPLER: *James Murphy*
 DATE Signed (MM / DD / YY): 9/30/16

CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: **7** of **7**

Section A
Required Client Information:
 Company: **Oswego CSD**
 Address: **225 West Ulica St
 Oswego, NY 12126**
 Email To: **dcrisafu@oswego.org**
 Phone: _____
 Fax: _____

Section B
Required Project Information:
 Report To: _____
 Copy To: _____
 Purchase Order No.: _____
 Project Name: **Fredrick Leighton Elem**
 Project Manager: _____
 Project Number: _____

Section C
Invoice Information:
 Attention: _____
 Company Name: _____
 Address: _____
 Pace Quote Reference: _____

REGULATORY AGENCY
 NPDES GROUND WATER DRINKING WATER
 UST RCRA OTHER _____

SITE LOCATION
 GA IL IN MI NC
 OH SC WI OTHER NY

Filtered (Y/N)
 Requested _____
 Approved _____

ITEM #	Section D Required Client Information	Valid Matrix Codes	MATRIX CODE	SAMPLE TYPE	COLLECTED		# OF CONTAINERS	PRESERVATIVES							ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
					COMPOSITE START	COMPOSITE END/GRAB		Unreserved	H ₂ O ₂	HNO ₃	HCl	NaOH	Na ₂ O ₂	Methanol				
1	ROOM 158 - SINK 4	DW	DW	G	DATE	TIME	1											073
2	ROOM 156 - SINK	DW	DW	G	4:58	5:02	1											074
3	ROOM 156A - SINK	DW	DW	G	4:56	5:00	1											075
4	ROOM 156C - SINK	DW	DW	G	4:56	5:00	1											076
5	ROOM 120 - NURSE HANDICAP SINK	DW	DW	G	4:54	5:00	1											077
6	ROOM 161 - SINK	DW	DW	G	4:50	5:00	1											078
7	Room 172A - SINK	DW	DW	G	4:50	5:00	1											079
8		DW	DW	G			1											
9		DW	DW	G			1											
10		DW	DW	G			1											
11		DW	DW	G			1											
12		DW	DW	G			1											

ADDITIONAL COMMENTS
 James Murphy PACE 10/16/16 16:30
 James Murphy PACE 10/16/16 16:30

RELINQUISHED BY / AFFILIATION
 James Murphy PACE

ACCEPTED BY / AFFILIATION
 James Murphy PACE

DATE
 10/16/16

TIME
 16:30

Temp in °C
 17.9
 18.2

Resealed on Ice
 Y/N

Custody Sealed
 Y/N

Samples Intact
 Y/N

Temp in °C
 17.9
 18.2

Resealed on Ice
 Y/N

Custody Sealed
 Y/N

Samples Intact
 Y/N

SAMPLER NAME AND SIGNATURE
 PRINT Name of SAMPLER: James Murphy - PACE Analytical
 SIGNATURE of SAMPLER: *James Murphy*
 DATE Signed (MM / DD / YY): 9/30/16



Sample Condition Upon Receipt

Client Name: Ohwego LSD

Project #: _____

WO# : 10365818

Courier: Fed Ex UPS USPS Client
 Commercial Pace SpeedDee Other: _____
 Tracking Number: 774 4446 3602, 2640



Custody Seal on Cooler/Box Present? Yes No Seals Intact? Yes No Optional: Proj. Due Date: _____ Proj. Name: _____

Packing Material: Bubble Wrap Bubble Bags None Other: _____ Temp Blank? Yes No

Thermometer Used: 151401163 151401164 B88A912167504 B88A0143310098
 Type of Ice: Wet Blue None Samples on ice, cooling process has begun

Cooler Temp Read (°C): 17.7, 18.0 Cooler Temp Corrected (°C): 17.9, 18.2 Biological Tissue Frozen? Yes No N/A
 Temp should be above freezing to 6°C Correction Factor: 70.2 Date and Initials of Person Examining Contents: EW 10/12/16

USDA Regulated Soil (N/A, water sample)

Did samples originate in a quarantine zone within the United States: AL, AR, AZ, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX or VA (check maps)? Yes No Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? Yes No

If Yes to either question, fill out a Regulated Soil Checklist (F-MN-Q-338) and include with SCUR/COC paperwork.

	COMMENTS:
Chain of Custody Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name and/or Signature on COC? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72 hr)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A -Pace Containers Used? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
Containers Intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered Volume Received for Dissolved Tests? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container
Sample Labels Match COC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A -Includes Date/Time/ID/Analysis Matrix: <u>WT</u>	12. <u>Room 155-Sink labeled Room 115-Sink verified by time</u>
All containers needing acid/base preservation have been checked? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH >9 Sulfide, NaOH>12 Cyanide) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Exceptions: VOA, Coliform, TOC, Oil and Grease, DRO/8015 (water) DOC <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13. <input checked="" type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl Sample #1-79
Headspace in VOA Vials (>6mm)? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Initial when completed: _____ Lot # of added preservative: _____
Trip Blank Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Trip Blank Custody Seals Present? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A Pace Trip Blank Lot # (if purchased): _____	15.

CLIENT NOTIFICATION/RESOLUTION

Field Data Required? Yes No

Person Contacted: _____ Temp OK _____ Date/Time: _____
 Comments/Resolution: _____

Project Manager Review: Awanda J. Albrecht

Date: 10/14/16

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers).